MCL-TACK

## SAFETY DATA SHEET

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 4.5 | SDS Revision Date: 06/21/2019

1. PRODUCT INDENTIFICATION 1.1 Product Name: LIGHT ELEGANCE TACK BONDING AGENT 1.2 Chemical Name: POLYURETHANE (METH) ACRYLATE PREPOLYMER RESIN BLEND 1.3 Synonyms: NA 1.4 Trade Names: none Product Use: 1.5 PROFESSIONAL USE ONLY 1.6 Manufacturer's Name: MCCONNELL LABS. INC. 1.7 Manufacturer's Adress: 406 SW UMATILLA AVE, REDMOND, OR 97756 USA 1.8 Emergency Phone: CHEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869) Business Phone / Fax:

### 2. HAZARD INDENTIFICATION

2.1 Hazard Identification:

+1 541 526 1417 / +1 541 526 1418

This product is classified as a HAZARDOUS SUBSTANCE and as a DANGEROUS GOOD according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE IRRITATION. Hazard Statements (H): H224 - Extremely flammable liquid and vapor. H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P223 - Keep container tightly closed. P243 - Take precaustionary measures against static discharge. P261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rince continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - Ilf eye irritation persists, P321 - for specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of contents/container to a licensed





treatment storage or disposal facility (TSDE)

2.2 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

2.3 Effects of Exposure:

INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.

EYES & SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye

inflamation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions

(e.g., rashes, welts, dermatitis) upon prolonged or repeated expsoure.

INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms

of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of

exposure but odor fatigue may occur.

2.4 Symptoms of Overexposure:

Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.

2.5 Acute Health Effects:

Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

2.6 Chronic Health Effects:

The material may cause an allergic reaction for some sensitive individuals.

2.7 Target Organs:

Eyes, skin

EXPOSURE LIMITS IN AIR (mg/m3)			3. COM	POSITION 8	& INGREE	DIENT	INF	ORM	ATIO	N					2
CHEMICAL NAME(S)   CAS No.   RTECS No.   EINECS No.   EINECS No.   EINECS No.   TIV   STEL   TWA   STEL   PEAK   PEL   STEL   IDLH   OTHER						EXPOSURE LIMITS IN AIR (mg/m3)									
CHEMICAL NAME(S)  CAS No.  RTECS												OSHA			
CHEMICAL NAME(S)  CAS No.  RTECS						na	m		maa			maa			
State   141-78-6   NA   205-500-4   60-100   400   NA   400   1400   NF   400   1400   NA   400   14								ES-	ES-	ES-					
Sopropylideneiphenyl   bisoxyhydroxypropyl methacrylate	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER	
BIS-HEA Poly(1,4-butanediol)-9/IPDI   Copolymer   C	Ethyl Acetate	141-78-6	NA	205-500-4	60-100	400	NA	400	1400	NF	400	1400	NA		
BIS-HEA Poly(1,4-butanediol)-9/IPDl   Copolymer								_				_			
BIS-HEA Poly(1,4-butanediol)-9/IPDI Copolymer  Hydroxypropyl methacrylate  Methacryloloxyethanol Maleate  Methacryloyloxyethanol Methacrylor Accute Tox. Oral 5; Aquatic Acute 3; H225, H319, H402  Trimethylbenzoyl Diphenylphosphine Oxide  BIS-HEA Poly(1,4-butanediol)-9/IPDI (73297-27-5) NA NA NA S-20 NA NA NF NF NF NF NA	Isopropylideneiphenyl	1565-94-2	NA	216-367-7	5-40	NA	NA	NF	NF	NF	NA	#####	NA		
BIS-HEA Poly(1,4-butanediol)-9/IPDI Copolymer  Hydroxypropyl methacrylate  Methacryloyloxyethanol Maleate  Methacryloyloxyethanol Phenylketone  Methacryloyloxyethanol Phenylketone  Trimethylbenzoyl Diphenylphosphine Oxide  T3297-27-5 NA NA NA NA S-20 NA NA NF NF NF NA															
butanediol)-9/IPDI Copolymer         Hydroxypropyl methacrylate       27813-02-1       NA       NA       S-20       NA       NA       NF       NF       NF       NA       NA       NA         Methacryloyloxyethanol Maleate       51978-15-5       NA       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacryloyloxyethanol Maleate       868-77-9       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacrylic Acid       79-41-4       NA       201-204-4       0-10       150       200       150       200       NF       200       200       ####         1-Hydroxycyclohexyl Phenylketone       947-13-3       NA       213-426-9       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Trimethylbenzoyl Diphenylphosphine Oxide       75980-60-8       NA       278-355-8       ≤1.0       NA       NA       NF       NF       NF       NF       NA       NA       NA	methacrylate														
butanediol)-9/IPDI Copolymer         Hydroxypropyl methacrylate       27813-02-1       NA       NA       S-20       NA       NA       NF       NF       NF       NA       NA       NA         Methacryloyloxyethanol Maleate       51978-15-5       NA       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacryloyloxyethanol Maleate       868-77-9       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacrylic Acid       79-41-4       NA       201-204-4       0-10       150       200       150       200       NF       200       200       ####         1-Hydroxycyclohexyl Phenylketone       947-13-3       NA       213-426-9       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Trimethylbenzoyl Diphenylphosphine Oxide       75980-60-8       NA       278-355-8       ≤1.0       NA       NA       NF       NF       NF       NF       NA       NA       NA	RIS-HEA Poly/1 /-	72207 27 5	INA	INA	E 20	NIA	NIA	NIE	NE	NE	NIA		NIA		
Copolymer   Cop	, , ,	/3297-27-5	INA	INA	15-20	INA	INA	INF	INF	INF	INA	*********	INA		
Hydroxypropyl methacrylate  Methacryloyloxyethanol Maleate  Methacryloyloxyethanol Methacrylic Acid Planmable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336  1-Hydroxycyclohexyl Phenylketone  Trimethylbenzoyl Diphenylphosphine Oxide	• •														
methacrylate         Methacryloyloxyethanol Maleate       51978-15-5       NA       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacryloyloxyethanol Maleate       868-77-9       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacrylic Acid Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336					•			•				•			
Methacryloyloxyethanol Maleate         51978-15-5         NA         NA         NA         O-10         NA         NA         NF         NF         NA         NA         NA           Methacryloyloxyethanol Methacrylic Acid         868-77-9         NA         NA         0-10         NA         NA         NF         NF         NF         NA         NA         NA           Methacrylic Acid Meth		27813-02-1	NA	NA	5-20	NA	NA	NF	NF	NF	NA	NA	NA		
Maleate       868-77-9       NA       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacrylic Acid       79-41-4       NA       201-204-4       0-10       150       200       150       200       NF       200       200       ####         Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336         1-Hydroxycyclohexyl Phenylketone       947-13-3       NA       213-426-9       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Phenylketone       Accute Tox. Oral 5; Aquatic Acute 3; H225, H319, H402       75980-60-8       NA       278-355-8       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Diphenylphosphine Oxide       NA       278-355-8       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA	· · · · · · · · · · · · · · · · · · ·					1	ı	Ī	ı			ı			_
Methacryloyloxyethanol       868-77-9       NA       NA       NA       0-10       NA       NA       NF       NF       NF       NA       NA       NA         Methacrylic Acid       79-41-4       NA       201-204-4       0-10       150       200       150       200       NF       200       200       ####         Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336         1-Hydroxycyclohexyl Phenylketone       947-13-3       NA       213-426-9       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Trimethylbenzoyl Diphenylphosphine Oxide       75980-60-8       NA       278-355-8       ≤1.0       NA       NA       NF       NF       NF       NF       NA       NA       NA		51978-15-5	NA	NA	0-10	NA	NA	NF	NF	NF	NA	NA	NA		
Methacrylic Acid       79-41-4       NA       201-204-4       0-10       150       200       150       200       NF       200       200       ####         Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336         1-Hydroxycyclohexyl Phenylketone       947-13-3       NA       213-426-9       ≤1.0       NA       NA       NF       NF       NF       NA       NA       NA         Phenylketone       Accute Tox. Oral 5; Aquatic Acute 3; H225, H319, H402         Trimethylbenzoyl Diphenylphosphine Oxide	Maleate														
Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336	Methacryloyloxyethanol	868-77-9	NA	NA	0-10	NA	NA	NF	NF	NF	NA	NA	NA		$\neg$
Flammable Liquid 3; Specific Target Organ Toxicity - Single Exposure 3; H226, H336															
1-Hydroxycyclohexyl Phenylketone   947-13-3   NA   213-426-9   ≤1.0   NA   NA   NF   NF   NF   NA   NA   NA	Methacrylic Acid	79-41-4	NA	201-204-4	0-10	150	200	150	200	NF	200	200	#####		
Phenylketone         Accute Tox. Oral 5; Aquatic Acute 3; H225, H319, H402           Trimethylbenzoyl Diphenylphosphine Oxide         75980-60-8         NA         278-355-8         ≤1.0         NA         NA         NF         NF         NA         NA         NA		Flammable Liquid	3; Specific Ta	rget Organ Tox	icity - Single	Expos	ure 3;	H226,	H336						
Trimethylbenzoyl         75980-60-8         NA         278-355-8         ≤1.0         NA         NA         NF         NF         NA         NA         NA           Diphenylphosphine Oxide         NA	1-Hydroxycyclohexyl	947-13-3	NA	213-426-9	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA		
Diphenylphosphine Oxide	Phenylketone	Phenylketone Accute Tox. Oral 5; Aquatic Acute 3; H225, H319, H402													
Diphenylphosphine Oxide	Trimethylbenzoyl	75980-60-8	NA	278-355-8	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA		
	Diphenylphosphine Oxide														
	** D									1					

## 4. FIRST AID MEASURES

Γ	4.1	First Aid:	
		INGESTION:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient
			is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison
			Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the
			amount of the substance that was swallowed.
		I	

SKIN & EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. If

irritation occurs & product is on the skin, rinse thoroughly with lukewarm water followed by a thorough washing of the affected area with plenty of soak and waster. Remove all contaminated clothing including footwear and wash thoroughly

before reuse. If irritation, redness or swelling persists, consult a physician immediately.

Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention. INHALATION:

4.2 Medical Conditions Aggravated by Exposure:

Pre-existing dermatitis, other skin conditions and disorders of the target organs (eyes, skin)

	HLALIII		
)	FLAMMABILITY	3	
	PHYSICAL HAZARDS	1	
	PROTECTIVE EQUIPMENT	В	
	EYES SKIN		

	5. FIREFIGHTING MEASURES	3 of 8
5.1	Flashpoint & Method:	
	- 20 °C (-4 °F) calculated	
5.2	Autoignition Temperature:	
	NA .	
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA	
5.4	Fire & Explosion Hazards:	
	This product is slightly flammable. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g.,	
	CO, CO2 and Nox)	
5.5	Extinguishing Methods:	
	Water, Foam, CO2, Dry Chemical	
5.6	Fire Fighting Procedures:	
	First responders should wear eye protection. Structural fire fighters must wear full protective equipment and	
	MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains,	
	bodies of water or other enviormentally sensitive reas. If necessary, rinse contaminated equipment with soapy water	
	before returning to service.	

### 6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., ,1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., >1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

### 7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50 ℃ (122 Ŧ).

	8. E	EXPOSURE CONTROLS & PERSONAL PROTECTION	4
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate de equipment is available (e.g., sink, safety shower, eye wash station).	econtaimination
8.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia.	
8.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.	
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785 liters]), wear nitrile or imprevious gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.	

	9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	0.9			
9.2	Boiling Point:	78 °C			
9.3	Melting Point:	ND			
9.4	Evaporation Rate:	4.1 (n-butyl acetate = 1)			
9.5	Vapor Pressure:	NA			
9.6	Appearance & Color:	Clear liquid			
9.7	Odor Threashold:	NE			
9.8	Solubility:	Not soluble			
9.9	pH:	NA			
9.1	Viscosity:	approximately 300 cps			
9.1	Flash Point:	- 20 °C calculated			
9.1	Other Information:	NA			

# **10. STABILITY & REACTIVITY**

10 Stability:

Relatively stable under ambient conditions when stored properly.

10 Hazardous Decomposition Products:

If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon and nitrogen).

10 Hazardous Polymerization:

Will not occur.

10 Conditions to Avoid:

Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.

11 Incompatable Substances:

Strong oxidizers, peroxides, strong acids or alkalis.

### See Section 2.3

12 Biological Exposure Indicies:

NE 12 Physician Recommendations:

Treat syptomatically

### 12. ECOLOGICAL INFORMATION

12 Environmental Stability:

This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. Butyl Acetate: Koc = 1.82. Water Solubility: 120 parts H<sub>2</sub>O at 25 °C (77 °F). Bioconcentration Factor = 4-14. Bioconcentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization and biodegredation. This compound's half life is 6.1 hours.

12 Effects on Plants & Animals:

There is no specific data availble for this product on plant life.

12 Effects on Aquatic Life:

There is no specific data availble for this product on aquatic life.

### 13. DISPOSAL CONSIDERATIONS

13 Waste Disposal:

Dispose inaccordance with local, state and Federal waste laws.

13 Special Considerations:

This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to local, state and Federal regulations.

### 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.

14 49 CFR (GRD):

CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 L) - UNTIL 12/31/2020

UN1263. PAINT. 3. II. LTD QTY (IP VOL ≤ 0.5 L)

14 | IATA (AIR):

ID8000, CONSUMER COMMODITY, 9 (IP VOL  $\leq$  0.5 L)

UN 1263. PAINT. 3. II. LTD OTY (IP VOL ≤ 5.0 L)

14 IMDG (OCN):

UN1263, PAINT, 3, II, LTD QTY (IP VOL  $\leq$  5.0 L)

14 TDGR (Canadian GND):

MARK PACKAGE "LIMITED QUANTITY" OR "QUANTITE LIMITEE" OR "LTD QTY" OR "QUANT LTEE" (IP VOL ≤ 5.0 L)

UN1263. PAINT. 3. II. LTD OTY (IP VOL ≤ 5.0 L)

15 ADR/RID (EU):

UN1263, PAINT, 3, II, LTD QTY (IP VOL  $\leq$  5.0 L)

15 MEXICO (SCT):

UN1263 PINTURA, 3, II, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L)

15 ADGR (AUS):

UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 5.0 L)



### 15. REGULATORY INFORMATION

15 SARA Reporting:

INA

15 SARA Threshold Planning Quantity:

NA

15 TSCA Inventory Status:

All components of this product are listed in the TSCA Inventory or are exempt

15 CERCLA Reportable Quantity (RQ):

Ethyl Acetate: 5,0000 lbs (2,270 kg)

16 Other Federal Requirements:

This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

16 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are on the Priorities Substances List.





16 State Regulatory Information:

Ethyl Acetate is not listed on the any state criteria list(s).

No other ingredients in this producd, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists:

California Proposition 65 (CA), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous

Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances list, (MN), New Jersey Right-to-Know List (NJ), new Yord Hazardous Substances List (NY), Pennsylvania Right-to-Know list (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI)

16 67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements:

The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC.

Acetone: Flammable (F). Harmful (Xi).

Risk Phrases (R): 11-36/37/38 - Highly Flammable. Irritating to eyes, skin and respiratory system. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes, vapor or spray. Do not empty into drains. Keep away from sources of ignition - No Smoking. Avoid contact with skin and eyes, rinse immediately with plenty of water and seek





### **16. OTHER INFORMATION**

16 Other Information:

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear potective gloves and eye/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and open flame. KEEP OUT OF THE REACH OF CHILDREN.

16 Terms & Definitions:

Please see last page of this SDS.

16 Disclaimer:

This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other governement regulations must be reviewed for applicability to this product. To the best of McConnell Labs' knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to sonsult the latest edition.

16 Prepared for:
McConnell Labs, Inc.
406 SW Umatilla Ave
Redmond, OR 97756 USA
Tel: +1 541 526 1417
Fax: +1 541 526 1418



17 Prepared by:
McConnell Labs, Inc.
406 SW Umatilla Ave
Redmond, OR 97756 USA
Tel: +1 541 526 1417

Tel: +1 541 526 1417 Fax: +1 541 526 1418



### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

#### EXPOSURE LIMITS IN AIR:

ACGIH	GIH American Conference on Governmental Industrial Hygienists		
TLV	TLV Threshold Limit Value		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	PEL Permissible Exposure Limit		
IDLH Immediately Dangerous to Life and Health			

#### FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
ı	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	4 Extreme Hazard	



#### PERSONAL PROTECTION RATINGS:

Α			
В	(ELV)		
С		THE STATE OF THE S	
D			
Е			
F			





Full Face Respirator







(Cy



Synthetic Apron

Protective Clothing & Full Suit

Full Face

Respirator

Dust Respirator

Dust & Vapor Half-Mask Respirator





### OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	No Results	
NE	Not Established	
ND	Not Determined	
ML	Maximum Limit	
SCBA Self-Contained Breathing Apparatus		

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:							
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

#### HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3 Severe Hazard					
4	Extreme Hazard				
ACD	Acidic				
ALK	ALK Alkaline				
COR	Corrosive				
W	Use No Water				
OX Oxidizer					
TREFOIL	Radioactive				



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	\$				
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TDio	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL <sub>m</sub>	Median threshold limit				
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution				

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	J.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

# WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(a)</b>	@	<b>(T)</b>	<b>®</b>		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

## EC (67/548/EEC) INFORMATION:

		M	*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

		<b>③</b>	$\Diamond$			<b>(!</b> )		<b>(1)</b>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment